

L Number	Hits	Search Text	DB	Time stamp
1	313	712/200.ccls. and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/17 08:39
-	5394	instruction and segment and recording	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/11 07:25
-	3998	(instruction and segment and recording) and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/09 13:42
-	216	((instruction and segment and recording) and @ad<=20001109) and reverse adj order	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/09 14:56
-	8119	(trace or flow) near3 (cache or buffer) and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/09 14:58
-	2782	(trace or flow) near (cache or buffer) and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/09 14:58
-	1017	((trace or flow) near (cache or buffer) and @ad<=20001109) and (revers\$3 or backward\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/09 15:00
-	5	((trace or flow) near (cache or buffer) and @ad<=20001109) and (instruction adj segment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/09 15:08
-	284	((trace or flow) near (cache or buffer) and @ad<=20001109) and (revers\$3 or backward\$2)) and segment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/09 15:09
-	91	trace adj cache and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/17 08:38
-	303	stor\$4 near3 ((data adj structure) or string or stack) same (reverse or backwards) and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/11 08:59
-	1	combin\$4 near3 multiple near3 trace and cache and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/11 09:09
-	6	redundant near5 trace and cache and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/11 09:09
-	693	(append or add) adj2 (front or head) and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/16 13:24

-	162	((append or add) adj2 (front or head) and @ad<=20001109) and comput\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/16 11:36
-	531	((append or add) adj2 (front or head) and @ad<=20001109) not (((append or add) adj2 (front or head) and @ad<=20001109) and comput\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/16 11:38
-	3248	stor\$4 near5 (data adj structure) and pointer and @ad<=20001109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/16 13:25
-	1871	(stor\$4 near5 (data adj structure) and pointer and @ad<=20001109) and (append or reverse or update)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/16 13:27
-	630	((stor\$4 near5 (data adj structure) and pointer and @ad<=20001109) and (append or reverse or update)) and cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/16 15:21